

Запчасти

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hrx@nt-rt.ru || сайт: <http://hupfer.nt-rt.ru/>



Waste container lid

AB-DK 75L
P/N 0124212

- ✓ For 75-litre containers
- ✓ Plastic



Waste container lid

AB-DK 50L
P/N 0124202

- ✓ For 50-litre containers
- ✓ Plastic



Disk bumper set for heavy-duty trolley

AbwRo Ø99/15 sw
Rundrohr
P/N 0113293


- ✓ Ø 99 mm
- ✓ Black
- ✓ Package content: 4 units



Cable gland

P/N 0163655

- ✓ 1 × cable duct
- ✓ 1 × cable gland
- ✓ 1 × nut



Tubular heating element, 230 V

HZ 230V 800W
P/N 014034043

- ✓ 800 W
- ✓ Ø 6.5 × 1,735 mm



Dummy socket, Ø 75 mm

P/N 0191148605

- ✓ Width: 43 mm
- ✓ Black



Corner bumpers set for general purpose trolleys

P/N 014010049

- ✓ With bores 25 mm
- ✓ Package content: 4 units



TAWALU door handle

TG/TAWALU
P/N 0222905

- ✓ Chrome-plated steel



CEE Plug 230 V

P/N 0191079952

- ✓ 16 A
- ✓ 3-pole
- ✓ IP 44



Disk bumper set 25 × 25 mm

AbwRo Ø95/17,5 sw
Vierkantrohr 25/25
P/N 014002111

- ✓ Package content: 4 units

Prices visible after registration.



Disc bumper set with opening

AbwRo Ø95/17,5 gr
Rundrohr
P/N 014010025

- ✓ With bore 25 mm
- ✓ Package content: 4 units

Prices visible after registration.



Disc bumper set with opening

AbwRo Ø95/17,5 gr
Vierkantrohr 25/25
P/N 014012051

- ✓ With opening 25 × 25 mm
- ✓ Package content: 4 units

Prices visible after registration.



Adapter set for 25 mm round tube

P/N 014002005

- ✓ Package content: 2 units

Prices visible after registration.



Adapter set for square tube 25 × 25 mm

P/N 014002006

- ✓ Package content: 2 units

Prices visible after registration.




On/off switch

P/N 014001300

- ✓ With frame and splash protection

Prices visible after registration.



Ball valve, 1/2"

P/N 014005008

- ✓ Brass



Swivel castor, plastic, Ø 125 mm

LR Poly P3/125
P/N 014000401

- ✓ With bolt-on panel



Swivel castor, plastic, Ø 125 mm

LR Poly Rz3/125
P/N 01400040!

- ✓ Round pin fixing





Swivel castor, plastic, ø 125 mm

LR Poly Rz3/125 mF
P/N 014000406

- ✓ With lock
- ✓ Round pin fixing
- ✓ Ball bearing
- ✓ Plastic housing

Prices visible after registration.

- ✓ Ball bearing
 - ✓ Plastic housing
- Prices visible after registration.



Swivel castor set, plastic, ø 125 mm

LR Poly RI1/125 mF
P/N 0191316238

- ✓ With lock
- ✓ Bolt hole attachment
- ✓ Ball bearing
- ✓ Plastic housing

Prices visible after registration.

- ✓ Ball bearing
 - ✓ Plastic housing
- Prices visible after registration.



Swivel castor set, plastic, ø 125 mm

LR Poly RI1/125
P/N 0191316237

- ✓ Bolt hole attachment (Incl. fixing material)
- ✓ Ball bearing
- ✓ Plastic housing


Prices visible after registration.



Ball valve, 1", PN 40

P/N 014005000

- ✓ DIN 2,999 threaded connections
- Nickel-plated forged brass lever



Tubular heating element, 230 V

HZ 230V 2000W
P/N 014001102


- ✓ 2,000 W
- ✓ ø 8.5 × 2,009 mm
- ✓ UL



Sound insulation board

P/N 014010020

- ✓ 495 × 330 × 1 mm



Helix cable, 3G1,5

P/N 0191082883

- ✓ With angled safety plug

Prices visible after [registration](#).



Corner bumpers set

P/N 014002110

- ✓ Package content: 4 units

Prices visible after [registration](#).



Temperature limiter, 90 °C

P/N 0191095077

- ✓ 2 N/C contacts

Prices visible after [registration](#).



Thermostat, 30 – 115 °C

P/N 014034027-01



Door lock set for SPTW

P/N 0191076705

- ✓ 16 × 14 mm
- ✓ For food transport trolleys from 2007
- ✓ With locking hooks

Prices visible after [registration](#).



Round plug Ø10/11 black

P/N 014026004



Screw-on link for Dilock castor, front

P/N 0191369998



Swivel castor with lock Ø 125 mm

LR Poly/St P1/125 mF
P/N 0191445151

- ✓ Grey plastic housing
- ✓ With total lock
- ✓ With mounting plate



Fixed castor ø 125 mm

BR Poly/St Rz1/125
P/N 0191445159

- ✓ Corrosion-resistant
- ✓ Plastic housing





Swivel castor with lock Ø 125 mm

LR Poly/St P2/125 luft mF
P/N 0191445156

- ✓ Air-identical tyres
- ✓ Grey plastic housing
- ✓ With mounting plate



Swivel castor Ø125 mm

LR Poly/St Rz1/125
P/N 0191445145

- ✓ Corrosion protected
- ✓ Plastic housing



Swivel castor Ø125 mm

LR Poly/St RI2/125 luftid sw
P/N 0191443701

- ✓ Corrosion-resistant
- ✓ Plastic housing, air-identical plastic wheel



swivel castor with lock Ø 125 mm

LR Poly/St RI2/125 luftid mF
SW
P/N 0191443702

- ✓ air-identical plastic wheel with total lock
- ✓ Corrosion-resistant bearing



Swivel castor Ø 125 mm

LR Poly/St Rz2/125 luft
P/N 0191445147

- ✓ Corrosion protected
- ✓ Plastic housing



Swivel castor with lock Ø 125 mm

LR Poly/St Rz1/125 mF
P/N 0191445155

- ✓ Corrosion protected
- ✓ Plastic housing,

P



Swivel castor Ø125 mm

LR Poly/St P2/125 luft
P/N 0191445146

- ✓ Air-identical plastic wheel
- ✓ Grey plastic housing



swivel castor with lock Ø 125 mm

LR Poly/St RI2/125 mF sw
P/N 0191443700

- ✓ With total lock



Swivel castor with lock Ø 125 mm

LR Poly/St Rz2/125 luft mF
P/N 01914451!

- ✓ Air-identical tyres



✓ With mounting plate
Prices visible after
registration.

Details



Swivel castor Ø125 mm

LR Poly/St RI2/125 sw
P/N 0191443699

- ✓ Black plastic housing
- ✓ Corrosion-protected ball bearing

✓ Black plastic housing
Prices visible after
registration.

Details



Swivel castor with lock Ø 125 mm

LR Poly/St RI1/125 mF
P/N 0191445150

- ✓ Grey plastic housing
- ✓ With total lock

Prices visible after
registration.

✓ Grey plastic housing
Prices visible after
registration.

Details



Swivel castor with lock Ø 125 mm

LR Poly/St Rz1/125 anti mF
P/N 0191445149

- ✓ Antistatic version
- ✓ Grey plastic housing, with total lock



Swivel castor Ø125 mm

LR Poly/St P1/125
P/N 0191445144

- ✓ With mounting plate
- ✓ Corrosion-resistant sliding bearing
- ✓ Grey plastic housing

Prices visible after
registration.



Swivel castor with lock Ø125 mm

LR Poly/St P1/125 anti mF
P/N 0191445148

- ✓ Antistatic version
- ✓ With total lock
- ✓ With mounting plate, grey plastic housing



Swivel castor Ø125 mm

LR Poly/St P1/125 anti
P/N 0191445141

- ✓ Antistatic version
- ✓ With mounting plate
- ✓ Grey plastic housing

Prices visible after
registration.



Swivel castor Ø125 mm

LR Poly/St RI1/125
P/N 0191445143

- ✓ Grey plastic housing
- ✓ Corrosion protected, plain bearing

Prices visible after [registration](#).



Swivel castor Ø125 mm

LR Poly/St Rz1/125 anti
P/N 0191445142

- ✓ Antistatic design
- ✓ Grey plastic housing

Prices visible after [registration](#).



Swivel castor Ø75 mm

LR St vzkt RI2/75
P/N 0116301917

- ✓ Antistatic design
- ✓ Grey plastic housing

Prices visible after [registration](#).



Swivel castor, stainless steel, ø 125 mm

LR Edelst Rz3/125 mF
P/N 014000109

- ✓ With lock
- ✓ Round pin fixing
- ✓ Ball bearing
- ✓ Stainless steel housing

Prices visible after [registration](#).



Swivel castor with directional lock, stainless steel, ø 200 mm

LR Edelst T3/200 mRiFix
P/N 014000224

- ✓ Suitable for washing devices
- ✓ With bolt-on panel
- ✓ Ball bearing
- ✓ Stainless steel housing

Prices visible after [registration](#).



English plug BS1363

P/N 014034206

- ✓ 250 V
- ✓ 13 A

Prices visible after [registration](#).



Fan, axial 119/119/25 24VDC

P/N 0191316409

- ✓ 3.2 W

Prices visible after [registration](#).

Tension spring set 30 g ø 27

P/N 0191060427

- ✓ Working length: 730 mm
- ✓ Package content: 5 units
- ✓ Stainless steel

Prices visible after [registration](#).

Ball catches MS nickel-plated G2

P/N 014049117

- ✓ Working length: 730 mm
- ✓ Package content: 5 units
- ✓ Stainless steel

Prices visible after [registration](#).



**Swivel castor, steel
galvanized, ø 75 mm**

LR St vzkt RI2/75 mF
P/N 0116301918

- ✓ With lock
- ✓ Bolt hole attachment
- ✓ Ball bearing
- ✓ Galvanised steel housing

Prices visible after
[registration](#).



**Guide for transport
securing device, bottom**

P/N 014012445



**Protection 24V-DC, 3H/1Ö
UL**

P/N 0191136186



**Screw-on link for Dilock
castor, back**

P/N 0191370104

- ✓ 64 × 46 × 27

Prices visible after
[registration](#).



**Plastic cap for tube 30 ×
30**

P/N 014024020

- ✓ Package content: 10 units
- ✓ Black

Prices visible after
[registration](#).



Sensor, Reed magnetic 2S

P/N 0191314709





Key, triangular 7

P/N 0191324802

- ✓ Stainless steel

Prices visible after [registration](#).



Cutlery holder GN 1/4-150

BestBeh GN 1/4-150

P/N 014032006

Prices visible after [registration](#).



Cutting board slot, 220x168 mm

P/N 0191390994

Prices visible after [registration](#).



Lock, triangular 7 50/45

P/N 0191149222

- ✓ Stainless steel



Swivel castor, stainless steel, ø 125 mm

LR Edelst P3/125 mF

P/N 014000120

- ✓ With lock
- ✓ With bolt-on panel
- ✓ Ball bearing
- ✓ Stainless steel housing

Prices visible after [registration](#).



Swivel castor, stainless steel, ø 125 mm

LR Edelst Rz3/125

P/N 014000108

- ✓ Round pin fixing
- ✓ Ball bearing
- ✓ Stainless steel housing

Prices visible after [registration](#).



Locking panel for transport securing device

P/N 014012447



Threaded leg PE ø 25/42 with nut M10

P/N 014021009

- ✓ Package content: 10 units



Swivel castor, steel galvanised, ø 75 mm

LR St vzkt RI2/75 anti mF

P/N 014000001

- ✓ Antistatic



Swivel castor, stainless steel, ø 125 mm
LR Edelst Rz3/125 anti mF
P/N 014000328

- ✓ Antistatic
- ✓ With lock
- ✓ Round pin fixing
- ✓ Ball bearing

Prices visible after [registration](#).



Sneeze guard for cutlery holder GN-1/4
BestBeh HS GN-1/4
P/N 014002001

- ✓ 136 × 113 × 18 mm
- ✓ Plastic

Prices visible after [registration](#).



Round plug ø 19.5/9
P/N 0191170892

- ✓ Package content: 10 units
- ✓ For door lock element
- ✓ Black
- ✓ Plastic

Prices visible after [registration](#).

Similar to illustration



Swivel castor, steel galvanised, ø 160 mm
LR St vzkt T1/160 mF
P/N 014000151

- ✓ With lock
- ✓ With bolt-on panel
- ✓ Castor bearing
- ✓ Galvanised steel housing

Prices visible after [registration](#).



Guide for transport securing device, top
P/N 014012446

Similar to illustration



Swivel castor, steel galvanized, ø 75 mm
LR St vzkt P1/75
P/N 014000017

- ✓ With bolt-on panel
- ✓ Plain bearing
- ✓ Galvanised steel housing

Prices visible after [registration](#).

Similar to illustration



Fixed castor, steel galvanized, ø 160 mm

BR St vzkt T1/160
P/N 014000152

- ✓ With bolt-on panel
- ✓ Castor bearing
- ✓ Galvanised steel housing

Prices visible after registration.



Plug park 70 × 44 × 30 mm

P/N 0191110623

- ✓ Stainless steel



Holder for TAWALU push handle

SG-H/TAWALU
P/N 0222906



Swivel castor, stainless steel, ø 125 mm

LR Edelst Rz3/125 anti
P/N 014000327

- ✓ Antistatic
- ✓ Round pin fixing
- ✓ Ball bearing
- ✓ Stainless steel housing

Prices visible after registration.



Leaf-spring for lock

P/N 014049564

- ✓ 29 × 10 × 15



Plastic cap for tube 25/25

P/N 012117000

- ✓ Package content: 10 units
- ✓ Grey

Prices visible after registration.



Door magnet for TAWALU

P/N 0222907



Air identic swivel castor, ø 125 mm, 75 kg

LR Edelst Rz3/125 luft mF
P/N 0191392141

- ✓ With lock
- ✓ Round pin fixing
- ✓ Ball bearing
- ✓ Stainless steel housing

Prices visible after [registration](#).



Swivel castor, stainless steel, ø 125 mm

LR Edelst P3/125
P/N 014000119

- ✓ With bolt-on panel
- ✓ Ball bearing
- ✓ Stainless steel housing

Prices visible after [registration](#).




Air identic swivel castor, ø 125 mm, 75 kg

LR Edelst Rz3/125 luft
P/N 0191392140

- ✓ Round pin fixing
- ✓ Ball bearing
- ✓ Stainless steel housing

Prices visible after [registration](#).



Round plug ø 15/11

P/N 014002083

- ✓ Package content: 10 units
- ✓ Black
- ✓ Plastic

Prices visible after [registration](#).



Temperature sensor -50°C +280°C

P/N 0191130748



Seal profile silicone yard goods

P/N 0191069176

- ✓ 30° Shore
- ✓ Silver metallic
- ✓ Talc-powdered

Prices visible after [registration](#).

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: hrx@nt-rt.ru || сайт: <http://hupfer.nt-rt.ru/>