

# Стеллажи Standard 5, 25, 35

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижегород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [hrx@nt-rt.ru](mailto:hrx@nt-rt.ru) || сайт: <http://hupfer.nt-rt.ru/>



### Stationary shelving set norm 5 with louvred shelf

RS-N5-BR/1000×300×1200  
P/N N5BR10003001200

- ✓ Dimensions: 1000 × 300 × 1200 mm
- ✓ upright of stainless steel, louvred shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 5 with louvred shelf

RS-N5-BR/1000×300×1400  
P/N N5BR10003001400

- ✓ Dimensions: 1000 × 300 × 1400 mm
- ✓ upright of stainless steel, louvred shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 5 with louvred shelf

RS-N5-BR/1000×300×1600  
P/N N5BR10003001600

- ✓ Dimensions: 1000 × 300 × 1600 mm
- ✓ upright of stainless steel, louvred shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 5 with louvred shelf

RS-N5-BR/1000×300×1800  
P/N N5BR10003001800

- ✓ Dimensions: 1000 × 300 × 1800 mm
- ✓ upright of stainless steel, louvred shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 5 with louvred shelf

RS-N5-BR/1000×300×2000  
P/N N5BR10003002000

- ✓ Dimensions: 1000 × 300 × 2000 mm
- ✓ upright of stainless steel, louvred shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 5 with louvred shelf

RS-N5-BR/1000×400×1200  
P/N N5BR10004001200

- ✓ Dimensions: 1000 × 400 × 1200 mm
- ✓ upright of stainless steel, louvred shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 5 with louvred shelf

RS-N5-BR/1000×400×1400  
P/N N5BR10004001400

- ✓ Dimensions: 1000 × 400 × 1400 mm
- ✓ upright of stainless steel, louvred shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 5 with louvred shelf

RS-N5-BR/1000×400×1600  
P/N N5BR10004001600

- ✓ Dimensions: 1000 × 400 × 1600 mm
- ✓ upright of stainless steel, louvred shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 5 with louvred shelf

RS-N5-BR/1000×400×1800  
P/N N5BR10004001800

- ✓ Dimensions: 1000 × 400 × 1800 mm
- ✓ upright of stainless steel, louvred shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bay 1000 mm,



### Stationary shelving set norm 5 with louvred shelf

RS-N5-BR/1000×400×2000  
P/N N5BR10004002000

- ✓ Dimensions: 1000 × 400 × 2000 mm
- ✓ upright of stainless steel, louvred shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 5 with louvred shelf

RS-N5-BR/1000×500×1200  
P/N N5BR10005001200

- ✓ Dimensions: 1000 × 500 × 1200 mm
- ✓ upright of stainless steel, louvred shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 5 with louvred shelf

RS-N5-BR/1000×500×1400  
P/N N5BR10005001400

- ✓ Dimensions: 1000 × 500 × 1400 mm
- ✓ upright of stainless steel, louvred shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1000×500×1800  
P/N N25GS10005001800

- ✓ Dimensions: 1000 × 500 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 1000 mm



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1000×600×1800  
P/N N25GS10006001800

- ✓ Dimensions: 1000 × 600 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1100×500×1800  
P/N N25GS11005001800

- ✓ Dimensions: 1100 × 500 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 ×



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1100×600×1800  
P/N N25GS11006001800

- ✓ Dimensions: 1100 × 600 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 1100 mm,



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1200×500×1800  
P/N N25GS12005001800

- ✓ Dimensions: 1200 × 500 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 1200 mm,



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1200×600×1800  
P/N N25GS12006001800

- ✓ Dimensions: 1200 × 600 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 1200 mm,



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1300×500×1800

P/N N25GS13005001800

- ✓ Dimensions: 1300 × 500 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 1300 mm,



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1300×600×1800

P/N N25GS13006001800

- ✓ Dimensions: 1300 × 600 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 1300 mm,



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1400×500×1800

P/N N25GS14005001800

- ✓ Dimensions: 1400 × 500 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 1400 mm,



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1400×600×1800

P/N N25GS14006001800

- ✓ Dimensions: 1400 × 600 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 1400 mm,

### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1500×500×1800

P/N N25GS15005001800

- ✓ Dimensions: 1475 × 500 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 700 mm, 1 × 800 mm,

### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1500×600×1800

P/N N25GS15006001800

- ✓ Dimensions: 1475 × 600 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 700 mm, 1 × 800 mm,



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1600×500×1800  
P/N N25GS16005001800

- ✓ Dimensions: 1575 × 500 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 700 mm, 1 × 900 mm,



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1600×600×1800  
P/N N25GS16006001800

- ✓ Dimensions: 1575 × 600 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 700 mm, 1 × 900 mm,



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1700×500×1800  
P/N N25GS17005001800

- ✓ Dimensions: 1675 × 500 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 700 mm, 1 × 1000 mm,



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1900×500×1800  
P/N N25GS19005001800

- ✓ Dimensions: 1875 × 500 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 900 mm, 1 × 1000 mm,



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/1900×600×1800  
P/N N25GS19006001800

- ✓ Dimensions: 1875 × 600 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 1 × 900 mm, 1 × 1000 mm,



### Stationary shelving set norm 25 with solid shelf

RS-N25-GS/2000×500×1800  
P/N N25GS20005001800

- ✓ Dimensions: 1975 × 500 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 600 kg, max. bay load: 100 kg
- ✓ Number of shelf bays: 2 × 1000 mm,



### Stationary shelving set norm 35 with solid shelf

RS-N35-GS/1000×510×1800  
P/N N35GS10005101800

- ✓ Dimensions: 1000 × 510 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 2000 kg, max. bay load: 250 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 35 with solid shelf

RS-N35-GS/1000×510×2000  
P/N N35GS10005102000

- ✓ Dimensions: 1000 × 510 × 2000 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 2000 kg, max. bay load: 250 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 35 with solid shelf

RS-N35-GS/1000×610×1800  
P/N N35GS10006101800

- ✓ Dimensions: 1000 × 610 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 2000 kg, max. bay load: 250 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 35 with solid shelf

RS-N35-GS/1000×610×2000  
P/N N35GS10006102000

- ✓ Dimensions: 1000 × 610 × 2000 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 2000 kg, max. bay load: 250 kg
- ✓ Number of shelf bays: 1 × 1000 mm,



### Stationary shelving set norm 35 with solid shelf

RS-N35-GS/1300×510×1800  
P/N N35GS13005101800

- ✓ Dimensions: 1300 × 510 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 2000 kg, max. bay load: 250 kg
- ✓ Number of shelf bays: 1 × 1300 mm,



### Stationary shelving set norm 35 with solid shelf

RS-N35-GS/1300×510×2000  
P/N N35GS13005102000

- ✓ Dimensions: 1300 × 510 × 2000 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 2000 kg, max. bay load: 250 kg
- ✓ Number of shelf bays: 1 × 1300 mm,



### Stationary shelving set norm 35 with solid shelf

RS-N35-GS/1300×610×1800  
P/N N35GS13006101800

- ✓ Dimensions: 1300 × 610 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 2000 kg, max. bay load: 250 kg
- ✓ Number of shelf bays: 1 × 1300 mm,



### Stationary shelving set norm 35 with solid shelf

RS-N35-GS/1300×610×2000  
P/N N35GS13006102000

- ✓ Dimensions: 1300 × 610 × 2000 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 2000 kg, max. bay load: 250 kg
- ✓ Number of shelf bays: 1 × 1300 mm,



### Stationary shelving set norm 35 with solid shelf

RS-N35-GS/1800×510×1800  
P/N N35GS18005101800

- ✓ Dimensions: 1775 × 510 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 2000 kg, max. bay load: 250 kg
- ✓ Number of shelf bays: 2 × 900 mm,



### Stationary shelving set norm 35 with solid shelf

RS-N35-GS/1800×510×2000  
P/N N35GS18005102000

- ✓ Dimensions: 1775 × 510 × 2000 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 2000 kg, max. bay load: 250 kg
- ✓ Number of shelf bays: 2 × 900 mm,



### Stationary shelving set norm 35 with solid shelf

RS-N35-GS/1800×610×1800  
P/N N35GS18006101800

- ✓ Dimensions: 1775 × 610 × 1800 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 2000 kg, max. bay load: 250 kg
- ✓ Number of shelf bays: 2 × 900 mm,



### Stationary shelving set norm 35 with solid shelf

RS-N35-GS/1800×610×2000  
P/N N35GS18006102000

- ✓ Dimensions: 1775 × 610 × 2000 mm
- ✓ upright of stainless steel, solid shelf of stainless steel
- ✓ Max. section load: 2000 kg, max. bay load: 250 kg
- ✓ Number of shelf bays: 2 × 900 mm,



## По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

эл.почта: [hrx@nt-rt.ru](mailto:hrx@nt-rt.ru) || сайт: <http://hupfer.nt-rt.ru/>