

Стационарные стеллажи Standard 20

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hrx@nt-rt.ru || сайт: <http://hupfer.nt-rt.ru/>

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1000×300×1200
P/N N20AR10003001200

- ✓ Dimensions: 1000 × 300 × 1200 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1000×300×1400
P/N N20AR10003001400

- ✓ Dimensions: 1000 × 300 × 1400 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1000×300×1600
P/N N20AR10003001600

- ✓ Dimensions: 1000 × 300 × 1600 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1000×300×1800

P/N N20AR10003001800

- ✓ Dimensions: 1000 × 300 × 1800 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 ×

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1000×300×2000

P/N N20AR10003002000

- ✓ Dimensions: 1000 × 300 × 2000 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 ×

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1000×400×1200

P/N N20AR10004001200

- ✓ Dimensions: 1000 × 400 × 1200 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 ×

Similar to illustration



RS-N20-AR/1000×400×1400
P/N N20AR10004001400

- ✓ Dimensions: 1000 × 400 × 1400 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,

Prices visible after [registration](#).

Details

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1000×400×1600
P/N N20AR10004001600

- ✓ Dimensions: 1000 × 400 × 1600 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,

Prices visible after [registration](#).

Details

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1000×400×1800
P/N N20AR10004001800

- ✓ Dimensions: 1000 × 400 × 1800 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,

Prices visible after [registration](#).

Details

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1000×400×2000
P/N N20AR10004002000

- ✓ Dimensions: 1000 × 400 × 2000 mm

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1000×500×1200
P/N N20AR10005001200

- ✓ Dimensions: 1000 × 500 × 1200 mm

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1000×500×1400
P/N N20AR10005001400

- ✓ Dimensions: 1000 × 500 × 1400 mm

- ×

✓

upright of aluminium,
slatted shelf of aluminium

✓

Max. section load: 600 kg,
max. bay load: 150 kg
- ✓

upright of aluminium,
slatted shelf of aluminium

✓

Max. section load: 600 kg,
max. bay load: 150 kg
- ✓

upright of aluminium,
slatted shelf of aluminium

✓

Max. section load: 600 kg,
max. bay load: 150 kg

Similar to illustration



Stationary shelving set
norm 20 with slatted
shelf

RS-N20-AR/1000×500×1600
P/N N20AR10005001600

- ✓

Dimensions: 1000 × 500 ×
1600 mm
- ✓

upright of aluminium,
slatted shelf of aluminium
- ✓

Max. section load: 600 kg,
max. bay load: 150 kg
- ✓

Number of shelf bays: 1 ×
1000 mm,

Prices visible after
[registration](#).

Details

Similar to illustration



Stationary shelving set
norm 20 with slatted
shelf

RS-N20-AR/1000×500×1800
P/N N20AR10005001800

- ✓

Dimensions: 1000 × 500 ×
1800 mm
- ✓

upright of aluminium,
slatted shelf of aluminium
- ✓

Max. section load: 600 kg,
max. bay load: 150 kg
- ✓

Number of shelf bays: 1 ×
1000 mm,

Prices visible after
[registration](#).

Details

Similar to illustration



Stationary shelving set
norm 20 with slatted
shelf

RS-N20-AR/1000×500×2000
P/N N20AR10005002000

- ✓

Dimensions: 1000 × 500 ×
2000 mm
- ✓

upright of aluminium,
slatted shelf of aluminium
- ✓

Max. section load: 600 kg,
max. bay load: 150 kg
- ✓

Number of shelf bays: 1 ×
1000 mm,

Prices visible after
[registration](#).

Details



Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1000×600×1200
P/N N20AR10006001200

- ✓ Dimensions: 1000 × 600 × 1200 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,

Prices visible after [registration](#).

Details

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1000×600×1400
P/N N20AR10006001400

- ✓ Dimensions: 1000 × 600 × 1400 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,

Prices visible after [registration](#).

Details

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1000×600×1600
P/N N20AR10006001600

- ✓ Dimensions: 1000 × 600 × 1600 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,

Prices visible after [registration](#).

Details

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1000×600×1800
P/N N20AR10006001800

- ✓ Dimensions: 1000 × 600 × 1800 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,

Prices visible after [registration](#).

Details

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1000×600×2000
P/N N20AR10006002000

- ✓ Dimensions: 1000 × 600 × 2000 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1000 mm,

Prices visible after [registration](#).

Details

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1200×300×1200
P/N N20AR12003001200

- ✓ Dimensions: 1200 × 300 × 1200 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1200 mm,

Prices visible after [registration](#).

Details

Similar to illustration



Similar to illustration



Similar to illustration





**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1200×300×1400
P/N N20AR12003001400

- ✓ Dimensions: 1200 × 300 × 1400 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1200 mm,

Prices visible after [registration](#).

Details

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1200×300×2000
P/N N20AR12003002000

- ✓ Dimensions: 1200 × 300 × 2000 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1200 mm,

Prices visible after [registration](#).

Details

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1200×300×1600
P/N N20AR12003001600

- ✓ Dimensions: 1200 × 300 × 1600 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1200 mm,

Prices visible after [registration](#).

Details

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1200×400×1200
P/N N20AR12004001200

- ✓ Dimensions: 1200 × 400 × 1200 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1200 mm,

Prices visible after [registration](#).

Details

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1200×300×1800
P/N N20AR12003001800

- ✓ Dimensions: 1200 × 300 × 1800 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1200 mm,

Prices visible after [registration](#).

Details

Similar to illustration



**Stationary shelving set
norm 20 with slatted
shelf**

RS-N20-AR/1200×400×1400
P/N N20AR12004001400

- ✓ Dimensions: 1200 × 400 × 1400 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg
- ✓ Number of shelf bays: 1 × 1200 mm,

Prices visible after [registration](#).

Details

Similar to illustration



×

→

Stationary shelving set
norm 20 with slatted
shelf

RS-N20-AR/1200×400×1600
P/N N20AR12004001600

✓ Dimensions: 1200 × 400 × 1600 mm

✓ upright of aluminium,
slatted shelf of aluminium

✓ Max. section load: 600 kg,
max. bay load: 150 kg

✓ Number of shelf bays: 1 × 1200 mm,

Prices visible after
[registration](#).

Details

Stationary shelving set
norm 20 with slatted
shelf

RS-N20-AR/1200×400×1800
P/N N20AR12004001800

✓ Dimensions: 1200 × 400 × 1800 mm

✓ upright of aluminium,
slatted shelf of aluminium

✓ Max. section load: 600 kg,
max. bay load: 150 kg

✓ Number of shelf bays: 1 × 1200 mm,

Prices visible after
[registration](#).

Details

Stationary shelving set
norm 20 with slatted
shelf

RS-N20-AR/1200×400×2000
P/N N20AR12004002000

✓ Dimensions: 1200 × 400 × 2000 mm

✓ upright of aluminium,
slatted shelf of aluminium

✓ Max. section load: 600 kg,
max. bay load: 150 kg

✓ Number of shelf bays: 1 × 1200 mm,

Prices visible after
[registration](#).

Details

Similar to illustration

Similar to illustration

Similar to illustration

Stationary shelving set
norm 20 with slatted
shelf

RS-N20-AR/1200×500×1200
P/N N20AR12005001200

✓ Dimensions: 1200 × 500 × 1200 mm

✓ upright of aluminium,
slatted shelf of aluminium

✓ Max. section load: 600 kg,
max. bay load: 150 kg

✓ Number of shelf bays: 1 × 1200 mm,

Prices visible after
[registration](#).

Details

Stationary shelving set
norm 20 with slatted
shelf

RS-N20-AR/1200×500×1400
P/N N20AR12005001400

✓ Dimensions: 1200 × 500 × 1400 mm

✓ upright of aluminium,
slatted shelf of aluminium

✓ Max. section load: 600 kg,
max. bay load: 150 kg

✓ Number of shelf bays: 1 × 1200 mm,

Prices visible after
[registration](#).

Details

Stationary shelving set
norm 20 with slatted
shelf

RS-N20-AR/1200×500×1600
P/N N20AR12005001600

✓ Dimensions: 1200 × 500 × 1600 mm

✓ upright of aluminium,
slatted shelf of aluminium

✓ Max. section load: 600 kg,
max. bay load: 150 kg

✓ Number of shelf bays: 1 × 1200 mm,

Prices visible after
[registration](#).

Details

Similar to illustration

Similar to illustration

Similar to illustration

Stationary shelving set
norm 20 with slatted

Stationary shelving set
norm 20 with slatted

Stationary shelving set
norm 20 with slatted

× →	shelf RS-N20-AR/1200×500×1800 P/N N20AR12005001800 ✓ Dimensions: 1200 × 500 × 1800 mm ✓ upright of aluminium, slatted shelf of aluminium ✓ Max. section load: 600 kg, max. bay load: 150 kg ✓ Number of shelf bays: 1 × 1200 mm, Prices visible after registration. Details	shelf RS-N20-AR/1200×500×2000 P/N N20AR12005002000 ✓ Dimensions: 1200 × 500 × 2000 mm ✓ upright of aluminium, slatted shelf of aluminium ✓ Max. section load: 600 kg, max. bay load: 150 kg ✓ Number of shelf bays: 1 × 1200 mm, Prices visible after registration. Details	shelf RS-N20-AR/1200×600×1200 P/N N20AR12006001200 ✓ Dimensions: 1200 × 600 × 1200 mm ✓ upright of aluminium, slatted shelf of aluminium ✓ Max. section load: 600 kg, max. bay load: 150 kg ✓ Number of shelf bays: 1 × 1200 mm, Prices visible after registration. Details
--	---	---	---

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1200×600×1400
P/N N20AR12006001400

- ✓ Dimensions: 1200 × 600 × 1400 mm
 - ✓ upright of aluminium, slatted shelf of aluminium
 - ✓ Max. section load: 600 kg, max. bay load: 150 kg
 - ✓ Number of shelf bays: 1 × 1200 mm,
- Prices visible after [registration](#).

Details

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1200×600×2000
P/N N20AR12006002000

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1200×600×1600
P/N N20AR12006001600

- ✓ Dimensions: 1200 × 600 × 1600 mm
 - ✓ upright of aluminium, slatted shelf of aluminium
 - ✓ Max. section load: 600 kg, max. bay load: 150 kg
 - ✓ Number of shelf bays: 1 × 1200 mm,
- Prices visible after [registration](#).

Details

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1300×300×1200
P/N N20AR13003001200

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1200×600×1800
P/N N20AR12006001800

- ✓ Dimensions: 1200 × 600 × 1800 mm
 - ✓ upright of aluminium, slatted shelf of aluminium
 - ✓ Max. section load: 600 kg, max. bay load: 150 kg
 - ✓ Number of shelf bays: 1 × 1200 mm,
- Prices visible after [registration](#).

Details

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1300×300×1400
P/N N20AR13003001400

× ✓ Dimensions: 1200 × 600 × 2000 mm ✓ upright of aluminium, slatted shelf of aluminium ✓ Max. section load: 600 kg, max. bay load: 150 kg ✓ Number of shelf bays: 1 × 1200 mm, Prices visible after registration.	✓ Dimensions: 1300 × 300 × 1200 mm ✓ upright of aluminium, slatted shelf of aluminium ✓ Max. section load: 600 kg, max. bay load: 150 kg ✓ Number of shelf bays: 1 × 1300 mm, Prices visible after registration.	✓ Dimensions: 1300 × 300 × 1400 mm ✓ upright of aluminium, slatted shelf of aluminium ✓ Max. section load: 600 kg, max. bay load: 150 kg ✓ Number of shelf bays: 1 × 1300 mm, Prices visible after registration.
Details	Details	Details

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1300×300×1600
P/N N20AR13003001600

- ✓ Dimensions: 1300 × 300 × 1600 mm
 - ✓ upright of aluminium, slatted shelf of aluminium
 - ✓ Max. section load: 600 kg, max. bay load: 150 kg
 - ✓ Number of shelf bays: 1 × 1300 mm,
- Prices visible after registration.

Details

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1300×400×1200
P/N N20AR13004001200

- ✓ Dimensions: 1300 × 400 × 1200 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1300×300×1800
P/N N20AR13003001800

- ✓ Dimensions: 1300 × 300 × 1800 mm
 - ✓ upright of aluminium, slatted shelf of aluminium
 - ✓ Max. section load: 600 kg, max. bay load: 150 kg
 - ✓ Number of shelf bays: 1 × 1300 mm,
- Prices visible after registration.

Details

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1300×400×1400
P/N N20AR13004001400

- ✓ Dimensions: 1300 × 400 × 1400 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1300×300×2000
P/N N20AR13003002000

- ✓ Dimensions: 1300 × 300 × 2000 mm
 - ✓ upright of aluminium, slatted shelf of aluminium
 - ✓ Max. section load: 600 kg, max. bay load: 150 kg
 - ✓ Number of shelf bays: 1 × 1300 mm,
- Prices visible after registration.

Details

Similar to illustration



Stationary shelving set norm 20 with slatted shelf

RS-N20-AR/1300×400×1600
P/N N20AR13004001600

- ✓ Dimensions: 1300 × 400 × 1600 mm
- ✓ upright of aluminium, slatted shelf of aluminium
- ✓ Max. section load: 600 kg, max. bay load: 150 kg

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hrx@nt-rt.ru || сайт: <http://hupfer.nt-rt.ru/>